
PRODUCT CATALOGUE · 2026 – 2027


# Consumables for food, logistics and retail

Cling film · Stretch film · BOPP tape · Nitrile gloves · Thermal paper · Labels


Six lines of consumables that food, retail and logistics operations buy every week — films, tape, gloves, paper and labels, from one supplier and in one consolidated shipment.



CLING FILM




STRETCH FILM



BOPP TAPE



NITRILE GLOVES



THERMAL PAPER



LABELS

**XI'AN KAITONG INTERNATIONAL TRADE CO., LTD.**
Food & packaging consumables · Made to order · Private label

www.kaitongtrade.com
sales@kaitongtrade.com

WHAT WE SUPPLY

# One supplier for the things your operation consumes every day

Films that protect food and pallets. Gloves that keep hands clean. Paper and labels that carry the price, the barcode and the shipment data. They are bought by the same people, consumed at the same pace, and reordered on the same cycle — so we supply them together, in one consolidated shipment.

01

### Films & tapes

PVC or PE cling film for fresh counters, PE stretch film for pallets, BOPP tape for carton sealing.

3 LINES · PAGES 03–07

02

### Disposable gloves

Powder-free nitrile gloves for food handling, laboratory and industrial use.

1 LINE · PAGES 08–09

03

### Thermal paper

57 × 40 and 80 × 80 mm receipt rolls, pre-printed with your artwork.

2 PAGES · PAGES 10–11

04

### Labels

Direct thermal and thermal transfer labels, blank or printed, for shipping, barcode and shelf pricing.

1 LINE · PAGE 12


| | | | |
|---|---|---|---|
| 03 | Food-grade Cling Film | PVC or PE, 10–20 µm, 250–450 mm, cutter box or roll | CF |
| 06 | PE Stretch Film | 15–50 µm, 100–600 mm, hand · machine · jumbo | SF |
| 07 | BOPP Packing Tape | 40–50 µm, 45/48/60/72 mm, 50–1000 m | BT |
| 08 | Nitrile Gloves | Powder-free, 3.5–5.0 mil, XS–XL, exam · industrial · food | NG |
| 10 | Thermal Paper & Printed Rolls | 57 × 40 and 80 × 80 mm · 48–80 gsm · pre-printed up to 7 colours · any size to order | TP |
| 12 | Labels — Blank & Printed | Direct thermal & thermal transfer · 35×25 to 100×150 mm · die-cut to order | LB |


CUSTOM SPECIFICATION

Thickness, width and length to your requirement

PRIVATE LABEL

Your brand on cartons, cores, colour boxes and rolls

PACKING


Carton, pallet and pack count to your line

MIXED LOADING

Several lines consolidated in one container

# Food-grade Cling Film

Transparent cling film in PVC or PE, 10–20 µm. It clings to itself rather than to the food, so produce, meat and prepared dishes stay covered in the chiller and on the counter. Supplied in cutter boxes, plain rolls and perforated rolls.



| | |
|---|---|
| MATERIAL | PVC or PE (PVC-free option) |
| THICKNESS | 10 / 12 / 15 / 20 µm |
| WIDTH | 250 · 300 · 350 · 400 · 450 mm — other widths on request |
| ROLL LENGTH | Cut to your requirement |
| CARTON | 4 · 6 · 10 · 12 rolls per carton |
| FORMAT | Cutter box · plain roll · perforated roll |
| COLOUR | Transparent, high clarity |

## AVAILABLE OPTIONS

PVC · PE · Cutter box · Perforated · 4-roll carton · 12-roll carton · Private label

## TYPICAL APPLICATIONS

- Fresh produce, meat and deli counters
- Supermarkets, catering and hotels
- Airline and food-service distribution
- Household and medical use

## PERFORMANCE

- Pulls out and cuts cleanly from the box
- Stays soft in refrigeration
- Barrier against air, moisture and contamination
- Perforated option for vented wrapping

Widths, length per roll and carton quantity are made to order. Food-contact documentation should be confirmed for your destination market before printing the pack.

SELECTION GUIDE

# How to choose the roll

Cling film is bought on performance per metre, not on the cheapest roll. Three choices decide whether it works on a counter: the material, the thickness and the width.

| PROPERTY | PVC | PE |
|---|---|---|
| Cling | Tight, immediate seal at thin gauges | Softer hold; needs a slightly heavier gauge |
| Best for | Fresh counters, plates, high-moisture food | Fatty and frozen food, PVC-free markets |
| Cold room | Stays soft under refrigeration | Stays soft, good freezer performance |
| Buyer note | Lower cost per roll at 10–12 µm | Position for markets restricting PVC |

### WIDTH — WHAT IT COVERS

- **250 mm** — small bowls, cut fruit, single portions
- **300 mm** — household plates and deli trays
- **350 mm** — platters and half-size gastronorm
- **400 mm** — full trays and bakery boards
- **450 mm** — catering trays and produce crates

### THICKNESS — WHERE IT FITS

- **10–12 µm** — household and light retail, economy packs
- **15 µm** — catering and supermarket fresh counters
- **20 µm** — heavy trays and mechanical wrapping

### CARTON — HOW IT SHIPS

- **4 rolls** — retail shelf packs
- **6 rolls** — household and catering
- **10–12 rolls** — wholesale and food service

### FIVE NUMBERS GIVE YOU A PRICE

| 01 | 02 | 03 | 04 | 05 |
|---|---|---|---|---|
| Width, mm | Thickness, µm | Length per roll | Rolls per carton | Pack format |

Typical pairings, not fixed rules — the final combination follows the customer's counter, the size of the tray and the way the film is dispensed.

INSIDE THE PLANT

# From resin to pallet, under one roof

Film is only as consistent as the line that makes it. Extrusion, slitting, carton packing and pallet build all happen in the same building, so the roll that reaches your customer is the roll we measured at the end of the line.



01 · CAST FILM LINE AND REWINDING

CLING FILM · 10–20 MM



02 · FINISHED GOODS, PALLETISED

CARTON-PACKED ROLLS

01 **Resin in**
Virgin PVC and LLDPE compound, graded on arrival before it reaches the hopper.

02 **Extrusion**
Thickness and width checked on the running line, not only on the finished roll.


03 **Slitting**
Rolls cut to 250–450 mm, or to any width agreed for the order.

04 **Packing and dispatch**
Cutter boxes or plain rolls, cartoned, palletised and wrapped for the container.

Photographs from the cling film line and the finished-goods warehouse. Carton quantity, pallet pattern and container loading are agreed per order.

# PE Stretch Film

Cast and blown stretch film for pallet wrapping and carton bundling. It sticks to its own wrapped face, not to the goods, so the load comes out clean. Hand rolls for dispatch areas, machine and jumbo rolls for automatic lines.



| | |
|---|---|
| MATERIAL | LLDPE, virgin resin |
| THICKNESS | 0.015 – 0.05 mm (15 – 50 µm) |
| WIDTH | 100 – 600 mm · 450 / 500 mm standard |
| CORE | 38 mm · 76 mm |
| LENGTH | As required |
| COLOUR | Transparent · blue · to customer requirement |
| TYPE | Hand · machine · mini · jumbo · ventilated |
| PACKING | Carton or pallet |

## AVAILABLE OPTIONS

- Hand roll
- Machine roll
- Mini roll
- Jumbo roll
- Ventilated
- Coloured film
- Pallet packing

## TYPICAL APPLICATIONS

- Cartons and pallets for export
- Building materials, cement, chemicals and fertiliser
- Machinery, textiles, paper and furniture
- Food, beverage and pharmaceutical cases
- Cold-chain and high-heat storage


## PERFORMANCE

- High tensile strength and longitudinal stretch
- Puncture resistance at corners and edges
- Self-adhesion on the wrapped face only
- Holds the load without marking the goods

Thickness, width, net weight and colour are made to order. We recommend a sample trial on your own pallet before a volume order.

# BOPP Packing Tape

BOPP film coated with a water-based acrylic adhesive. High tensile strength at a low weight, so one roll seals a full carton without tearing or lifting at the corners. Clear, super clear, coloured or printed with your own artwork.



| | |
|---|---|
| BASE FILM | BOPP, biaxially oriented polypropylene |
| ADHESIVE | Water-based acrylic, pressure sensitive |
| TOTAL THICKNESS | 40 – 50 µm, film and adhesive |
| WIDTH | 45 · 48 · 60 · 72 mm — slit to order |
| LENGTH | 50 · 100 · 150 · 300 · 1000 m |
| COLOUR | Clear · super clear · tan · white · black |
| CORE | 76 mm paper core |
| STANDARD | QB/T 2422-1998 |

### AVAILABLE OPTIONS

Super clear · Coloured · Printed 1–10 colours · Stationery 12–18 mm · Low-noise unwind · Private label

### TYPICAL APPLICATIONS

- Carton sealing for export and e-commerce
- Food, beverage and household cases
- Bundling and light strapping
- Brand printing on the closure line

### PERFORMANCE

- High tensile strength at 40–50 µm
- Holds at carton corners under load
- Super clear grade resists yellowing
- Consistent unwind, no tearing mid-roll

Thickness, width, length and print are made to order; print requires artwork approval before the run. Specifications are reference values — confirm against your sample before printing the catalogue.

# Nitrile Gloves

Powder-free, non-sterile nitrile. Latex-free and resistant to oils and fats, so it replaces latex wherever a wearer has reacted to it. Examination, industrial and food-handling grades are quoted to the standard you name; black, white and blue come off the same line.

## COLOUR RANGE

Same construction · 4.0–6.0 g



Black — XS – XL



White — XS – XL



Blue — XS – XL

| | |
|---|---|
| MATERIAL | Nitrile butadiene rubber, latex-free |
| GRADE | Examination · industrial · food handling |
| THICKNESS | 3.5 / 4.5 / 5.0 mil — matched to 4.0 / 5.0 / 6.0 g at size M |
| LENGTH | 240 mm standard · 300 mm extended cuff |
| PALM WIDTH | S 85 · M 95 · L 105 · XL 115 mm — XS on request |
| TEXTURE | Fingertip · fully textured · diamond grip |
| COLOUR | Black · white · blue |
| PACKING | 100 pcs / box · 10 boxes / carton |
| FINISH | Powder-free, non-sterile, ambidextrous |

## AVAILABLE OPTIONS

- Examination grade
- Industrial grade
- Food handling
- Diamond grip
- Extended cuff
- Colour box
- Dispenser pack
- Private label

## TYPICAL APPLICATIONS

- Food processing and handling
- Clinics, laboratories and pharmacies
- Cleaning, janitorial and beauty services
- Light industrial assembly and inspection

**STANDARDS** ASTM D6319 · EN 455 1–4 · EN ISO 374-1 · EN ISO 374-5 · ASTM D6978 · ASTM F1671 · FDA 21 CFR 177.2600

Mil and grammage are two views of the same glove — the pairing above is typical, and the figure on the certificate governs. Accelerator-free and chemotherapy-tested variants are quoted separately: confirm availability and the exact standard for your destination before printing the pack.

SELECTION GUIDE

# Same glove, three different claims

Two boxes can look identical and be priced far apart. What separates them is the sampling level behind the mark, the tests the factory actually ran, and the paperwork your customer has to keep on file.

| | EXAMINATION | INDUSTRIAL | FOOD HANDLING |
|---|---|---|---|
| Sampling level | AQL 1.5 | AQL 2.5 | AQL 1.5 |
| Thickness | 3.5 – 4.0 mil | 4.0 – 6.0 mil | 3.5 – 4.0 mil |
| Tests behind the mark | ASTM D6319 · EN 455 1–4 · EN ISO 374-1/-5 · ASTM F1671 | EN ISO 21420 · EN 388 · EN ISO 374-1 | ASTM D6319 plus a food-contact migration test |
| Food-contact route | Not a food declaration | Not a food declaration | FDA 21 CFR 177.2600 · EU 1935/2004 · GB 4806 |
| Typical buyer | Hospitals, dental, clinics, laboratories | Workshops, automotive, cleaning, security | Food processing, catering, retail deli |
| Why it costs what it does | Highest — the sampling and the certificate carry the cost | Lowest — fewer tests, wider tolerance | Close to examination, plus a migration test |

### THICKNESS — WHAT THE MIL BUYS YOU

| | |
|---|---|
| 3 mil | **Short-wear and high dexterity**<br>Inspection, food prep, one task then discard. |
| 3.5 mil | **The examination standard**<br>Long enough for a clinic shift, thin enough to feel a pulse. |
| 4 mil | **Prolonged wear**<br>Dental, laboratory, wet food handling. |
| 5–6 mil | **Industrial and heavy duty**<br>Automotive, maintenance, rough or sharp material. |

### GRIP — WHERE THE TEXTURE SITS

- **Fingertip** — grip where you pinch, smooth palm for feel
- **Fully textured** — grip across the whole hand, wet or dry
- **Diamond** — deepest pattern, for wet and oily surfaces

### TWO ADD-ONS WORTH ASKING ABOUT

- **Accelerator-free** — no thiuram or carbamate, for wearers with type IV allergy
- **Chemotherapy tested** — ASTM D6978, for handling cytotoxic drugs


### FIVE NUMBERS GIVE YOU A GLOVE PRICE

| 01 | 02 | 03 | 04 | 05 |
|---|---|---|---|---|
| Grade and standard | Thickness, mil | Size mix | Colour | Packing |

Grade names are not interchangeable between markets: an examination claim in one country needs a different file than the same glove sold as PPE elsewhere. Tell us the destination and the standard, and we quote to that.

# Thermal Paper Rolls

Two formats cover almost every counter we ship to: 57 × 40 mm for handheld, taxi and mobile printers, and 80 × 80 mm for wide-body retail tills and weigh stations. Both run a standard top coat on a 48–80 gsm base. Every other width, diameter, core and grammage is made to the printer you actually operate.



57 MM AND 80 MM RECEIPT ROLLS

STANDARD TOP COAT · 48–80 GSM

## 57 × 40 mm

RECEIPT ROLL

| | |
|---|---|
| Width × diameter × core | 57 × 40 × 12 mm |
| Rolls per box | 200 |
| Carton volume | 0.019 m³ |
| Gross weight | 10.06 kg |
| Grammage | 48–80 gsm |
| Grade | Standard, long-life |
| Fits | Handheld, taxi, mobile |

## 80 × 80 mm

WIDE TILL ROLL

| | |
|---|---|
| Width × diameter × core | 80 × 80 × 12 mm |
| Rolls per box | 60 |
| Carton volume | 0.038 m³ |
| Gross weight | 18.30 kg |
| Grammage | 70–80 gsm |
| Grade | Standard, long-life |
| Fits | Till, scale, kiosk |

### ANY OTHER SIZE

57–110 mm wide, any diameter and core, coreless on request

### JUMBO MASTER ROLLS

40–210 gsm, slit to the width your machine runs

### GRADE

Standard, long-life, extra-white or BPA / BPS-free

### BRANDING

Your artwork printed in 1–7 colours before the roll is wound

The two sizes above are held in regular production and ship from stock. Everything else — 57 × 45 to 110 × 50, coreless, tinted, long-life — is made to order against your printer model. Carton volume and weight are reference values at ±5%.

# Printed & Pre-Printed Rolls

Printed at the mill, before the roll is wound — up to seven colours on thermal, woodfree, art paper or carbonless stock. Your logo, terms, QR code and a start-and-end mark on every receipt, with no over-printing that rubs off inside the printer.



| | |
|---|---|
| PRINTING | Up to 7 spot colours · 1 to 3 most common |
| POSITION | Reverse print on the back · pre-print on the coated face · face in or out |
| REPEATS | Logo block, promotional panel, coupon, serial number, QR / barcode |
| PAPER BASE | Thermal · long-life · woodfree · art paper · carbonless |
| CORE | Coreless · paper core · plastic core |

### STANDARD TINTED PAPER

| Yellow Pantone 100 | Orange Pantone 137 | Blue Pantone 277 | Pink Pantone 2365 | Green Pantone 331 |
|---|---|---|---|---|

Private label · Coupon panel · QR code · Serial number · End mark · Blue image

| WHERE IT IS USED | WHAT GETS PRINTED | USUAL STOCK |
|---|---|---|
| Banking & finance | Branch address, transaction terms, queue number, hotline, complaint procedure | 57 / 80 mm, long-life |
| Supermarket & retail | Logo, loyalty panel, coupon on the reverse, campaign QR code, store code | 80 mm, 70–80 gsm |
| Food & beverage | Order number, table number, allergen note, menu QR code | 57 / 80 mm, BPA-free |
| Handheld & mobile | Taxi and delivery dockets, field service reports, parking tickets | 57 mm, coreless |
| Traffic & enforcement | Summons format, legal wording, officer and device code, duplicate copy | 57 mm, long-life |

Send vector artwork (AI, PDF or EPS) with Pantone references and the repeat length; we return a printed proof on the actual stock before the run. Text in the artwork must be outlined. Standard tints are held in stock; Pantone matches and multicolour work are made to order.

# Labels — Blank & Printed

Self-adhesive labels on a glassine liner, direct thermal or thermal transfer. Supplied blank for your own printer, or printed with your artwork, barcode and variable data — die-cut to size, on roll, sheet or fanfold.



BLANK ROLLS

READY FOR YOUR PRINTER




PRINTED

ARTWORK, BARCODE, VARIABLE DATA

| APPLICATION | LABEL SIZE | CONSTRUCTION | PCS / ROLL | ROLLS / BOX |
|---|---|---|---|---|
| **DIRECT THERMAL · BLANK OR PRINTED** | | | | |
| Barcode & shelf | 35 × 25 mm · 1" core | Non top-coated, blank or 1 colour | 1000 / 2000 | 100 / 50 |
| Weighing · Sticker 2–4 | 40 × 46 mm · 40 mm core | Top-coated, blank or 1 colour | 600 | 100 |
| Shipping & logistics | 100 × 150 mm · 1" core | Non top-coated, blank or pre-printed | 300 | 24 |
| **THERMAL TRANSFER · BLANK OR PRINTED** | | | | |
| Logistics & pallet | 100 × 150 mm · 1" core | Art paper, matt varnish | 500 | 24 |
| Product, batch, freezer | to your die | Simili paper or synthetic PP / PET, freezer and oil-resistant adhesive | to order | to order |

### PRINTING

1–8 colours, spot colour, matt or gloss varnish, hot stamping

### VARIABLE DATA

Serial, batch, barcode and QR, printed or left blank

### FINISHING

Die-cut, perforated, slit, fanfold or sheeted

### FACE & LINER

Glassine 62–80 gsm · PET liner for synthetic face

Send the printer model, roll direction and one sample label; size, gap, die shape and wind direction are matched to your applicator. Top-coated stock is used where the label meets water, oil or abrasion.

APPLICATION FIT

# Who buys what

The same buyer rarely orders only one line. Use this page to build a mixed order: it lowers freight per kilo and gives the customer one supplier to call.

| BUYER / OPERATION | WHAT THEY CONSUME DAILY | RECOMMENDED LINES |
|---|---|---|
| Supermarket & grocery chain | Cling film at fresh counters, labels for weighing and pricing, receipt rolls at every till, gloves in the deli | CF · LB · TP · NG |
| Food processing & catering | Cling film for tray and portion wrapping, nitrile gloves for handling, date and batch labels | CF · NG · LB |
| Clinic, dental & laboratory | Examination-grade nitrile, powder-free, in the thickness and size mix their protocol names | NG |
| Logistics, 3PL & e-commerce | Stretch film for outbound pallets, BOPP tape for sealing, shipping labels, packing lists on thermal paper | SF · BT · LB · TP |
| Distributor & wholesaler | The full range, bought for stock and resale; values one consolidated container | All six lines |
| Label converter & printer | Thermal paper and label stock by the tonne, converted in-house | TP · LB |

### HOW TO ORDER A MIXED CONTAINER

- Choose one line as the base load — usually stretch film or thermal paper
- Add the smaller lines to fill the remaining space and weight
- Confirm pallet configuration and carton marking before booking

### WHAT WE NEED FROM YOU

- Destination port and shipping preference
- Specification or a sample of what you use today
- Packaging language and any private-label artwork

> The film protects the pallet. The label says what is on it.
> The paper prints the proof of delivery. Sell them as one system.

REFERENCE DATA

# All lines at a glance

| REF | PRODUCT | COMMON SPECIFICATION | PACKING |
|---|---|---|---|
| CF | Food-grade Cling Film | PVC or PE · 10–20 µm · 250–450 mm · length to order | 4 / 6 / 10 / 12 rolls per ctn |
| SF | PE Stretch Film | 15–50 µm · 100–600 mm · length to order | Carton or pallet |
| BT | BOPP Packing Tape | 40–50 µm · 45 / 48 / 60 / 72 mm · 50–1000 m | 6 / 12 rolls per shrink pack |
| NG | Nitrile Gloves | 3.5–5.0 mil · 4.0–6.0 g · XS–XL · powder-free | 100 pcs/box · 10 boxes/ctn |
| TP | Thermal Paper & Printed Rolls | 57 × 40 and 80 × 80 mm · 48–80 gsm · pre-printed up to 7 colours · any size and jumbo to order | 200 rolls/ctn at 57 mm · 60 at 80 mm |
| LB | Labels — Blank & Printed | Direct thermal / transfer · 35×25 to 100×150 mm · printed 1–8 colours | 24 or 100 rolls/ctn |

### MADE TO ORDER

- Thickness, width, length and weight set to your specification
- Private label and printed packing on all six lines
- Samples supplied before a volume order
- Specification sheet and certificate pack with each shipment

### PRIVATE LABEL

- Printed cartons and cores for cling film and stretch film
- Colour boxes and dispenser packs for gloves
- Reverse printing for thermal rolls
- Artwork and barcode handled by your design or ours

### DOCUMENTATION

- Specification sheet for each line, in English
- Food-contact declarations for films and paper
- Grade and conformity documents for gloves
- Packing list and loading photos before shipment

## Six lines, one container

Mixed loading is quoted per line, then consolidated.



Cling film · Stretch film · BOPP tape · Nitrile gloves · Thermal paper · Labels

All figures on this page are reference values for a first quotation. Final specification, packing and documentation are confirmed in the order acknowledgement.

NEXT STEP

# Send us the specification you buy today — we will quote against it

A sample, a photo of the label, or the sizes you order now is enough to start. We will come back with a matched specification, packing options and a quotation.

### CONTACT

Xi'an Kaitong International Trade Co., Ltd.
sales@kaitongtrade.com
+86 187 2939 1107 · Jack
WeChat & WhatsApp: +86 187 2939 1107

### WEBSITE

www.kaitongtrade.com

### PRODUCT LINES

Food-grade cling film (PVC / PE) · PE stretch film · BOPP packing tape · Nitrile gloves · Thermal paper & printed rolls · Labels, blank & printed

### NOTES

Specifications in this catalogue are reference values. Colour and print may vary from the printed page.

WECHAT

+86 187 2939 1107

Scan the code, or search the number in WeChat to add Jack

WHATSAPP

+86 187 2939 1107

Scan the code, or message the number directly on WhatsApp

REQUEST A QUOTATION

## sales@kaitongtrade.com